

COLLECTIONS

2024

I N D E X

F L O O R T I L E S



An international top player in the ceramic industry

Ceramica Cleopatra Group was the first in Egypt to open a modern ceramic manufacturing factory, in 1979. Since then, it has played an influential role becoming **one of the largest private corporations in Egypt and in the Middle East**, and one of the world's largest ceramics, porcelain and sanitary ware manufacturer. Its integrated industrial complex of 17 plants in North West Gulf of Suez and

Tenth of Ramadan City employees 26 thousand among engineers, technicians and workers.

The company exports reach more than 100 countries worldwide.

Based in Tenth of Ramadan City, Ceramica Cleopatra Group is an Egyptian pioneer in ceramic and porcelain wall and floor tiles, sanitary ware and bath sets manufacturing.



State-of-the-art technologies support the company reputation for quality and flair, and its philosophy to treat each of its products as a work of art.

With more than one million Italian-inspired designs in different sizes, Ceramica Cleopatra Group caters to a wide variety of tastes and styles and is able to design, manufacture and produce personalized projects and collections. Several local and international distributors work every day to sell the products all

over the world: **Ceramica Cleopatra Group exports to more than 100 countries worldwide.**

The company reputation for quality and durability has ensured a steady international growth and a strong and stable customer satisfaction.

Why choose ceramic?

Because it's a natural, safe material that is suitable for any application. It does not release harmful substances, it does not burn and it's sustainable, recyclable, resistant, durable and easy to install.

Safe

Ceramic is a safe, natural material that originates from the earth. It does not contain plastic and is completely recyclable.

Long-lasting

Ceramic is a durable and hard-wearing material. It's easy to clean and always looks as good as new.

Versatile

With its infinite variety of sizes and surfaces, ceramic is suitable for any application, whether floors or walls, countertops or tables.

Hygienic

Ceramic is one of the most hygienic material. It's odourless and easy to clean using any household detergent.



It does not burn

It does not burn and in the event of fire does not release substances that are harmful to people or the environment.

Stable

A ceramic floor is practical, stable and can be easily skillfully installed in shops, restaurants, offices and surfaces of all kinds.

Resistant

Ceramic is a strong material that does not change shape or freeze and is resistant to even the most aggressive chemical detergents.

Environment-friendly

Ceramic is a sustainable material that is healthy and environment-friendly because it is produced in full compliance with European and American standards.

■ Floor tiles

59,5x59,5

Agatha Gold
Ambra
Ashley
Astrid Grey
Azalia Grey
Azalia Ivory
Chester
Fancy White
Kenia
Maya Ivory
Media
Natura 6
Nelson
Opera 1
Opera 2
Opera 3
Opera 4
Panama Stone
Royalty
Soraya Grey
Storm 1
Tablet
Tacos Onix
Twenties
Zahira

60x60 (Rectefied)

Admiral
Artic
Astra White
Boss Gravito
Calida White
Eldorado Ivory
Eldorado White
Lumy Gravito
Malibu
Moon Light
Normac
Rosy Ivory
Selva
Sky Ivory
Sky Light
Space Light
Stone Beige
Tempo
Volga
Zimar

50x50

Adua Ivory
Esplender
River
Tatiano

15x70

Aspen Ash
Aspen Noce
Aspen White
City Beige
City Nogal
Macau Peach
Macau Wenghe
Parquet Smoke
Planet Oak
Planet Rover
Regina Beige
Romvaldo Noce
Season 5
Terra Smoke
Wood Ash
Wood Smoke


20x121

Alba Ash
Alba Brown
Candy Grey
Cherry 1
Cherry 3
Cherry 4
Ebony Beige
Ebony Grey
Ebony Ivory
Ebony Natural
Ebony White
Lea Brown
Lea Natural
Melody Ash
Melody Honey
Melody Natural
Rami 5
Zen Brown
Zen Taupe

40,8x40,8


Emilia Beige
Emilia Grey
Emilia Ivory
Emilia Light Grey
Emilia Multi Color

Icon definition




THICKNESS

Most floor tiles have a thickness of about 9cm to 12 cm. When comparing the ceramic wall tile with ceramic floor tiles' thickness, the ones made for floors are generally thicker than wall tiles.




RECTIFIED

Manufacturing process assuring each surface the same size and shape desired. The tile is cut after firing in order to reduce the joints, allowing the creation of continuous surfaces and thinner joints.




NOMINAL SIZE

A term used to describe the approximate thickness or facial size of tile for general reference.




FINISH

The visual appearance of a tile surface. This may be polished, glazed or unglazed, textured, embossed, matte.




BREAKING LOAD

The amount of weight a tile can hold up under a constant load.



PORCELAIN STONEWARE

An innovative and extremely versatile material. Porcelain tiles are fine-grained and smooth, very much harder and denser than other tile products.



PANDUAL SKIDE RESISTANCE


Tiles with the same durability as regular tiles, but with an extra grip achieved through processing the material surface.

R9 Low static friction

R10 Normal static friction.

R11 Increased static friction.

R12 High static friction



PEI - PEDESTRIAN TRAFFIC

Porcelain Enamel Institute rating scale which expresses the amount of foot traffic a surface can handle, to determine its hardness.

PEI 1 Light domestic use

PEI 2 Moderate domestic traffic

PEI 3 All domestic use

PEI 4 Suitable for domestic and public use (hall, restaurants and supermarkets.)

PEI 5 Tiles suitable for all types of use

Floor tiles



59,5x59,5 cm

- Agatha Gold
- Ambra
- Ashley
- Astrid Grey
- Azalia Grey
- Azalia Ivory
- Chester
- Fancy White
- Kenia
- Maya Ivory
- Media
- Natura 6
- Nelson
- Opera 1
- Opera 2
- Opera 3
- Opera 4
- Panama Stone
- Royalty
- Soraya Grey
- Storm 1
- Tablet
- Tacos Onix
- Twenties
- Zahira

Agatha Gold



Agatha Gold

Floor



Agatha Gold
59,5x59,5 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
59,5x59,5



Surface finish
Glossy



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,416 sqm / box

Ambra



Ambra

___Floor



Ambra
59,5x59,5 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
59,5x59,5



Surface finish
Glossy



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,416 sqm / box

Ashley



Ashley

Floor



Ashley White
59,5x59,5 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
59,5x59,5



Surface finish
Matt



Profile
Rectified



Skide Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,416 sqm / box

Astrid Grey



Astrid Grey

___Floor




Astrid Grey
59,5x59,5 Rectified




TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
59,5x59,5



Surface finish
Glossy



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,416 sqm / box

Azalia Grey



Azalia Grey

___Floor



Azalia Grey
59,5x59,5 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
59,5x59,5



Surface finish
Glossy



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,416 sqm / box

Azalia Ivory



Azalia Ivory

___Floor



Azalia Ivory
59,5x59,5 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
59,5x59,5



Surface finish
Glossy



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,416 sqm / box

Chester



Chester

—Floor



Chester
59,5x59,5 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
59,5x59,5



Surface finish
Glossy



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,416 sqm / box

Fancy White



Fancy White

___Floor



Fancy White
59,5x59,5 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
59,5x59,5



Surface finish
Glossy



Profile
Rectified



Skide Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,416 sqm / box

Kenia



Kenia

___Floor



Kenia 1
59,5x59,5 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
59,5x59,5



Surface finish
Glossy



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,416 sqm / box

Maya Ivory



Maya Ivory

___Floor




Maya Ivory
59,5x59,5 Rectified




TECHNICAL INFO


Floor tile technology
White Body Ceramic




Size
59,5x59,5




Surface finish
Matt




Profile
Rectified




Skide Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,416 sqm / box

Media



Media

Floor




Media 1
59,5x59,5 Rectified




TECHNICAL INFO


Floor tile technology
White Body Ceramic




Size
59,5x59,5




Surface finish
Glossy




Profile
Rectified




Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,416 sqm / box

Natura 6



Natura 6

___Floor




Natura 6
59,5x59,5 Rectified




TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
59,5x59,5



Surface finish
Glossy



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,416 sqm / box

Nelson



Nelson

___Floor



Nelson
59,5x59,5 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
59,5x59,5



Surface finish
Glossy



Profile
Rectified



Skide Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use




Pack
4 Pieces / box - 1,416 sqm / box

Opera 1



Opera 1

___Floor




Opera 1
59,5x59,5 Rectified




TECHNICAL INFO


Floor tile technology
White Body Ceramic




Size
59,5x59,5




Surface finish
Matt




Profile
Rectified




Skide Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use




Pack
4 Pieces / box - 1,416 sqm / box

Opera 2



Opera 2

___Floor




Opera 2
59,5x59,5 Rectified




TECHNICAL INFO


Floor tile technology
White Body Ceramic




Size
59,5x59,5




Surface finish
Matt




Profile
Rectified




Skide Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use




Pack
4 Pieces / box - 1,416 sqm / box

Opera 3



Opera 3

Floor




Opera 3
59,5x59,5 Rectified




TECHNICAL INFO


Floor tile technology
White Body Ceramic




Size
59,5x59,5




Surface finish
Matt



Profile
Rectified




Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use




Pack
4 Pieces / box - 1,416 sqm / box

Opera 4



Opera 4

___Floor




Opera 4
59,5x59,5 Rectified




TECHNICAL INFO


Floor tile technology
White Body Ceramic




Size
59,5x59,5




Surface finish
Matt




Profile
Rectified




Skide Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use




Pack
4 Pieces / box - 1,416 sqm / box

Panama Stone



Panama Stone

___Floor



Panama Stone
59,5x59,5 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
59,5x59,5



Surface finish
Matt



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,416 sqm / box

Royalty



Royalty

Floor




Royalty
59,5x59,5 Rectified




TECHNICAL INFO


Floor tile technology
White Body Ceramic




Size
59,5x59,5




Surface finish
Glossy




Profile
Rectified




Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use




Pack
4 Pieces / box - 1,416 sqm / box

Soraya Grey



Soraya Grey

Floor



Soraya Grey
59,5x59,5 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
59,5x59,5



Surface finish
Glossy



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,416 sqm / box

Storm 3



Storm 3

___Floor



Storm 3
59,5x59,5 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
59,5x59,5



Surface finish
Glossy



Profile
Rectified



Skide Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,416 sqm / box

Tablet



Tablet

___Floor



Tablet 1
59,5x59,5 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
59,5x59,5



Surface finish
Glossy



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,416 sqm / box

Tacos Onix



Tacos Onix

___Floor



Tacos Onix
59,5x59,5 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
59,5x59,5



Surface finish
Glossy



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,416 sqm / box

Twenties



Twenties

___Floor




Twenties
59,5x59,5 Rectified




TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
59,5x59,5



Surface finish
Glossy



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,416 sqm / box

Zahira



Zahira

___Floor



Zahira
59,5x59,5 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
59,5x59,5



Surface finish
Glossy



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,416 sqm / box

Floor tiles



60x60cm Rectefied

- Admiral
- Artic
- Astra White
- Boss Gravito
- Calida White
- Eldorado Ivory
- Eldorado White
- Lumy Gravito
- Malibu
- Moon Light
- Normac
- Rosy Ivory
- Selva
- Sky Ivory
- Sky Light
- Space Light
- Stone Beige
- Tempo
- Vloga
- Zimar

Admiral



Admiral

___Floor



Admiral
60x60 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
60x60



Surface finish
Glossy



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,44 sqm / box

Artic



Artic

___Floor



Artic
60x60



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
60x60



Surface finish
Glossy



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,44 sqm / box

Astra White



Astra White

Floor



Astra White
60x60



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
60x60



Surface finish
Glossy



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use




Pack
4 Pieces / box - 1,44 sqm / box

Boss Gravito



Boss Gravito

Floor



Boss Gravito
60x60 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
60x60



Surface finish
Matt



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,44 sqm / box

Caldia White



Caldia White

Floor



Caldia White
60x60 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
60x60



Surface finish
Glossy



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,44 sqm / box

Eldorado Ivory



Eldorado Ivory

___Floor



Eldorado Ivory
60x60 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
60x60



Surface finish
Glossy



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,44 sqm / box

Eldorado White



Eldorado White

Floor



Eldorado White
60x60 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
60x60



Surface finish
Glossy



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use




Pack
4 Pieces / box - 1,44 sqm / box

Lumy Gravito



Lumy Gravito

___Floor




Lumy Gravito
60x60 Rectified




TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
60x60



Surface finish
Matt



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,44 sqm / box

Malibu



Malibu

—Floor



Malibu
60x60 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
60x60



Surface finish
Glossy



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use




Pack
4 Pieces / box - 1,44 sqm / box

Moon Light



Moon Light

Floor



Moon Light
60x60 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
60x60



Surface finish
Glossy



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,44 sqm / box

Normac



Normac

___Floor




Normac
60x60 Rectified




TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
60x60



Surface finish
Glossy



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use




Pack
4 Pieces / box - 1,44 sqm / box

Rosy Ivory



Rosy Ivory

Floor



Rosy Ivory
60x60 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
60x60



Surface finish
Matt



Profile
Rectified



Skide Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,44 sqm / box

Selva



Selva

Floor









Selva
60x60



TECHNICAL INFO

Floor tile technology
White Body Ceramic

	Size 60x60		Surface finish Glossy
	Profile Rectified		Skid Resistant Test (SRT) Pass
	Thickness 9,8 mm		PEI Rating 3 - All Domestic use


 Pack
4 Pieces / box - 1,44 sqm / box

Sky Ivory



Sky Ivory

___Floor



Sky Ivory
60x60 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
60x60



Surface finish
Glossy



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,44 sqm / box

Sky Light



Sky Light

___Floor



Sky Light
60x60 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
60x60



Surface finish
Glossy



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,44 sqm / box

Space Light



Space Light

Floor



Space Light
60x60 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
60x60



Surface finish
Glossy



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,44 sqm / box

Stone Beige



Stone Beige

Floor



Stone Beige
60x60 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
60x60



Surface finish
Glossy



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,44 sqm / box

Tempo



Tempo

___Floor



Tempo
60x60 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
60x60



Surface finish
Glossy



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,44 sqm / box

Volga



Volga

Floor



Volga
60x60 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
60x60



Surface finish
Glossy



Profile
Rectified



Skide Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,44 sqm / box

Zimar



Zimar

___Floor



Zimar
60x60 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
60x60



Surface finish
Glossy



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
9,8 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - 1,44 sqm / box

Floor tiles



50x50 cm

Adua Ivory
Esplender
River
Tatiano

Adua Ivory



Adua Ivory

Floor









Adua Ivory
50x50



TECHNICAL INFO

Floor tile technology
White Body Ceramic

	Size 50x50		Surface finish Glossy
	Profile Normal		Skid Resistant Test (SRT) Pass
	Thickness 8.8 mm		PEI Rating 3 - All Domestic use


 Pack
7 Pieces / box - 1.75 sqm / box

River



River

Floor




River
50x50




TECHNICAL INFO


Floor tile technology
White Body Ceramic




Size
50x50




Surface finish
Matt




Profile
Normal




Skid Resistant Test (SRT)
Pass



Thickness
8.8 mm



PEI Rating
3 - All Domestic use



Pack
7 Pieces / box - 1.75 sqm / box

Titanio



Titanio

___Floor



Titanio
50x50



TECHNICAL INFO


Floor tile technology
White Body Ceramic




Size
50x50




Surface finish
Glossy




Profile
Normal




Skid Resistant Test (SRT)
Pass



Thickness
8.8 mm



PEI Rating
3 - All Domestic use



Pack
7 Pieces / box - 1.75 sqm / box

Esplender



Esplender

Floor




Esplender
50x50




TECHNICAL INFO


Floor tile technology
White Body Ceramic




Size
50x50




Surface finish
Glossy




Profile
Normal




Skid Resistant Test (SRT)
Pass



Thickness
8.8 mm



PEI Rating
3 - All Domestic use



Pack
7 Pieces / box - 1.75 sqm / box

Floor tiles




- Aspen Ash
- Aspen Noce
- Aspen White
- City Beige
- City Nogal
- Macau Peach
- Macau Wenghe
- Parquet Smoke
- Planet Oak
- Planet Rover
- Regina Beige
- Romvaldo Noce
- Season 5
- Terra Smoke
- Wood Ash
- Wood Smoke

Aspen Ash



Aspen Ash

___Floor




Aspen Ash
15x70




TECHNICAL INFO


Floor tile technology
White Body Ceramic




Size
15x70




Surface finish
Matt




Profile
Normal




Skid Resistant Test (SRT)
Pass



Thickness
8,7 mm



PEI Rating
3 - All Domestic use



Pack
10 Pieces / box - 1,05 sqm / box

Aspen Noce



Aspen Noce

___Floor



Aspen Noce
15x70



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
15x70



Surface finish
Matt



Profile
Normal



Skid Resistant Test (SRT)
Pass



Thickness
8,7 mm



PEI Rating
3 - All Domestic use



Pack
10 Pieces / box - 1,05 sqm / box

Aspen White



Aspen White

___Floor



Aspen White
15x70



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
15x70



Surface finish
Matt



Profile
Normal



Skid Resistant Test (SRT)
Pass



Thickness
8,7 mm



PEI Rating
3 - All Domestic use



Pack
10 Pieces / box - 1,05 sqm / box

City Beige



City Beige

___Floor



City Beige
15x70



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
15x70



Surface finish
Matt



Profile
Normal



Skid Resistant Test (SRT)
Pass



Thickness
8,7 mm



PEI Rating
3 - All Domestic use



Pack
10 Pieces / box - 1,05 sqm / box

City Nogal



City Nogal

___Floor



City Nogal
15x70



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
15x70



Surface finish
Matt



Profile
Normal



Skide Resistant Test (SRT)
Pass



Thickness
8,7 mm



PEI Rating
3 - All Domestic use



Pack
10 Pieces / box - 1,05 sqm / box

Macau Peach



Macau Peach

___Floor



Macau Peach
15x70



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
15x70



Surface finish
Matt



Profile
Normal



Skid Resistant Test (SRT)
Pass



Thickness
8,7 mm



PEI Rating
3 - All Domestic use



Pack
10 Pieces / box - 1,05 sqm / box

Macau Wenghe



Macau Wenghe

___Floor









Macau Wenghe
15x70



TECHNICAL INFO

Floor tile technology
White Body Ceramic

	Size 15x70		Surface finish Matt
	Profile Normal		Skid Resistant Test (SRT) Pass
	Thickness 8,7 mm		PEI Rating 3 - All Domestic use

 Pack
10 Pieces / box - 1,05 sqm / box

Parquet Smoke



Parquet Smoke

___Floor



Parquet Smoke
15x70



TECHNICAL INFO

Floor tile technology
White Body Ceramic

	Size 15x70		Surface finish Matt
	Profile Normal		Skide Resistant Test (SRT) Pass
	Thickness 8,7 mm		PEI Rating 3 - All Domestic use

Pack
10 Pieces / box - 1,05 sqm / box

Planet Oak



Planet Oak

___Floor




Planet Oak
15x70




TECHNICAL INFO


Floor tile technology
White Body Ceramic




Size
15x70




Surface finish
Matt




Profile
Normal




Skide Resistant Test (SRT)
Pass



Thickness
8,7 mm



PEI Rating
3 - All Domestic use



Pack
10 Pieces / box - 1,05 sqm / box

Planet Rover



Planet Rover

___Floor



Planet Rover
15x70



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
15x70



Surface finish
Matt



Profile
Normal



Skide Resistant Test (SRT)
Pass



Thickness
8,7 mm



PEI Rating
3 - All Domestic use



Pack
10 Pieces / box - 1,05 sqm / box

Regina Beige



Regina Beige

___Floor




Regina Beige
15x70




TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
15x70



Surface finish
Matt



Profile
Normal



Skid Resistant Test (SRT)
Pass



Thickness
8,7 mm



PEI Rating
3 - All Domestic use



Pack
10 Pieces / box - 1,05 sqm / box

Romvaldo Noce



Romvaldo Noce

___Floor



Romvaldo Noce
15x70



TECHNICAL INFO

Floor tile technology
White Body Ceramic

	Size 15x70		Surface finish Matt
	Profile Normal		Skide Resistant Test (SRT) Pass
	Thickness 8,7 mm		PEI Rating 3 - All Domestic use

Pack
10 Pieces / box - 1,05 sqm / box

Season 5



Season 5

Floor



Season 5
15x70



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
15x70



Surface finish
Matt



Profile
Normal



Skide Resistant Test (SRT)
Pass



Thickness
8,7 mm



PEI Rating
3 - All Domestic use



Pack
10 Pieces / box - 1,05 sqm / box

Terra Smoke



Terra Smoke

___Floor




Terra Smoke
15x70




TECHNICAL INFO


Floor tile technology
White Body Ceramic




Size
15x70




Surface finish
Matt




Profile
Normal




Skide Resistant Test (SRT)
Pass



Thickness
8,7 mm



PEI Rating
3 - All Domestic use



Pack
10 Pieces / box - 1,05 sqm / box

Wood Ash



Wood Ash

___Floor



Wood Ash
15x70



TECHNICAL INFO


Floor tile technology
White Body Ceramic




Size
15x70




Surface finish
Matt




Profile
Normal




Skid Resistant Test (SRT)
Pass



Thickness
8,7 mm



PEI Rating
3 - All Domestic use



Pack
10 Pieces / box - 1,05 sqm / box

Wood Smoke



Wood Smoke

___Floor



Wood Smoke
15x70



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
15x70



Surface finish
Matt



Profile
Normal



Skide Resistant Test (SRT)
Pass



Thickness
8,7 mm



PEI Rating
3 - All Domestic use



Pack
10 Pieces / box - 1,05 sqm / box

Floor tiles



20x121 cm

- Alba Ash
- Alba Brown
- Candy Grey
- Cherry 1
- Cherry 3
- Cherry 4
- Ebony Beige
- Ebony Grey
- Ebony Ivory
- Ebony Natural
- Ebony White
- Lea Brown
- Lea Natural
- Melody Ash
- Melody Honey
- Melody Natural
- Rami 5
- Zen Brown
- Zen Taupe

Alba Ash



Alba Ash

Floor



Alba Ash
20x121 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
20x121



Surface finish
Matt



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
10,3 mm



PEI Rating
3 - All Domestic use



Pack
6 Pieces / box - 1,452 sqm / box

Alba Brown



Alba Brown

___Floor



Alba Brown
20x121 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
20x121



Surface finish
Matt



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
10,3 mm



PEI Rating
3 - All Domestic use



Pack
6 Pieces / box - 1,452 sqm / box

Candy Grey



Candy Grey

___Floor



Candy Grey
20x121 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
20x121



Surface finish
Matt



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
10,3 mm



PEI Rating
3 - All Domestic use



Pack
6 Pieces / box - 1,452 sqm / box

Cherry 1



Cherry 1

___Floor




Cherry 1
20x121 Rectified




TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
20x121



Surface finish
Matt



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
10,3 mm



PEI Rating
3 - All Domestic use



Pack
6 Pieces / box - 1,452 sqm / box

Cherry 3



Cherry 3

___Floor



Cherry 3
20x121 Rectified



TECHNICAL INFO


Floor tile technology
White Body Ceramic




Size
20x121




Surface finish
Matt




Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
10,3 mm



PEI Rating
3 - All Domestic use



Pack
6 Pieces / box - 1,452 sqm / box

Cherry 4



Cherry 4

___Floor



Cherry 4
20x121 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
20x121



Surface finish
Matt



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
10,3 mm



PEI Rating
3 - All Domestic use



Pack
6 Pieces / box - 1,452 sqm / box

Ebony Beige



Ebony Beige

___Floor



Ebony Beige
20x121 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
20x121



Surface finish
Matt



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
10,3 mm



PEI Rating
3 - All Domestic use



Pack
6 Pieces / box - 1,452 sqm / box

Ebony Grey



Ebony Grey

Floor



Ebony Grey
20x121 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
20x121



Surface finish
Matt



Profile
Rectified



Skide Resistant Test (SRT)
Pass



Thickness
10,3 mm



PEI Rating
3 - All Domestic use



Pack
6 Pieces / box - 1,452 sqm / box

Ebony Ivory



Ebony Ivory

___Floor



Ebony Ivory
20x121 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
20x121



Surface finish
Matt



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
10,3 mm



PEI Rating
3 - All Domestic use



Pack
6 Pieces / box - 1,452 sqm / box

Ebony Natural



Ebony Natural

___Floor



Ebony Natural
20x121 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
20x121



Surface finish
Matt



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
10,3 mm



PEI Rating
3 - All Domestic use



Pack
6 Pieces / box - 1,452 sqm / box

Ebony White



Ebony White

Floor



Ebony White
20x121 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
20x121



Surface finish
Matt



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
10,3 mm



PEI Rating
3 - All Domestic use



Pack
6 Pieces / box - 1,452 sqm / box

Lea Brown



Lea Brown

___Floor




Lea Brown
20x121 Rectified




TECHNICAL INFO


Floor tile technology
White Body Ceramic




Size
20x121




Surface finish
Matt




Profile
Rectified




Skide Resistant Test (SRT)
Pass



Thickness
10,3 mm



PEI Rating
3 - All Domestic use



Pack
6 Pieces / box - 1,452 sqm / box

Lea Natural



Lea Natural

Floor




Lea Natural
20x121 Rectified




TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
20x121



Surface finish
Matt



Profile
Rectified



Skid Resistance Test (SRT)
Pass



Thickness
10,3 mm



PEI Rating
3 - All Domestic use



Pack
6 Pieces / box - 1,452 sqm / box

Melody Ash



Melody Ash

___Floor



Melody Ash
20x121 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
20x121



Surface finish
Matt



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
10,3 mm



PEI Rating
3 - All Domestic use



Pack
6 Pieces / box - 1,452 sqm / box

Melody Honey



Melody Honey

___Floor



Melody Honey
20x121 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
20x121



Surface finish
Matt



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
10,3 mm



PEI Rating
3 - All Domestic use



Pack
6 Pieces / box - 1,452 sqm / box

Melody Natural



Melody Natural

___Floor



Melody Natural
20x121 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
20x121



Surface finish
Matt



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
10,3 mm



PEI Rating
3 - All Domestic use



Pack
6 Pieces / box - 1,452 sqm / box

Rami 5



Rami 5

___Floor



Rami
20x121 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
20x121



Surface finish
Matt



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
10,3 mm



PEI Rating
3 - All Domestic use



Pack
6 Pieces / box - 1,452 sqm / box

Zen Brown



Zen Brown

___Floor



Zen Brown
20x121 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
20x121



Surface finish
Matt



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
10,3 mm



PEI Rating
3 - All Domestic use



Pack
6 Pieces / box - 1,452 sqm / box

Zen Taupe



Zen Taupe

___Floor



Zen Taupe
20x121 Rectified



TECHNICAL INFO

Floor tile technology
White Body Ceramic



Size
20x121



Surface finish
Matt



Profile
Rectified



Skid Resistant Test (SRT)
Pass



Thickness
10,3 mm



PEI Rating
3 - All Domestic use



Pack
6 Pieces / box - 1,452 sqm / box

Floor tiles



40,8x40,8 cm

Emilia Beige

Emilia Grey

Emilia Ivory

Emilia Light Grey

Emilia Multi Color

Emilia Beige



Emilia Beige

___Floor



Emilia Beige
40,8x40,8



Emilia Beige Geomatic
40,8x40,8



TECHNICAL INFO

Floor tile technology
White Body Ceramic

	Size 40,8x40,8		Surface finish Matt
	Profile Normal		Skide Resistant Test (SRT) Pass
	Thickness 17 mm		PEI Rating 3 - All Domestic use

Pack
4 Pieces / box - ,666 sqm / box

Emilia Grey



Emilia Grey

Floor



Emilia Grey
40,8x40,8




Emilia Grey Geomatic
40,8x40,8




TECHNICAL INFO


Floor tile technology
White Body Ceramic




Size
40,8x40,8




Surface finish
Matt




Profile
Normal




Skide Resistant Test (SRT)
Pass



Thickness
17 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - ,666 sqm / box

Emilia Ivory



Emilia Ivory

___Floor



Emilia Ivory
40,8x40,8



Emilia Ivory Geomatic
40,8x40,8



TECHNICAL INFO

Floor tile technology
White Body Ceramic

	Size 40,8x40,8		Surface finish Matt
	Profile Normal		Skide Resistant Test (SRT) Pass
	Thickness 17 mm		PEI Rating 3 - All Domestic use

Pack
4 Pieces / box - ,666 sqm / box

Emilia Light Grey



Emilia Light Grey

___Floor



Emilia Light Grey
40,8x40,8




Emilia Light Grey Geomatic
40,8x40,8




TECHNICAL INFO


Floor tile technology
White Body Ceramic




Size
40,8x40,8




Surface finish
Matt




Profile
Normal




Skide Resistant Test (SRT)
Pass



Thickness
17 mm



PEI Rating
3 - All Domestic use



Pack
4 Pieces / box - ,666 sqm / box

Emilia Multi Color



Emilia Multi Color

___Floor









Emilia Multi Color
40,8x40,8



TECHNICAL INFO

Floor tile technology
White Body Ceramic

	Size 40,8x40,8		Surface finish Matt
	Profile Normal		Skid Resistance Test (SRT) Pass
	Thickness 17 mm		PEI Rating 3 - All Domestic use

 Pack
4 Pieces / box - ,666 sqm / box

cleopatraceramics.com

